APPLICATION FOR CERTIFICATE OF APPROPRIATENESS

MSPC Case No.: MSPC 14-11

Send completed application and check to:
Meridian Street Preservation Commission
200 E. Washington Street, Suite 1821
Indianapolis, IN 46204

Address of the Property where work is to be done: 5148 N. Meridian St.

Applicant's Name: Steven + Connie Vickery
Phone No: 317 255-2235
Address: 5148 N. Meridian St.
FAX No:
Zip Code: 46208
E-Mail address: down2biz@gmail.com

Name of Owner(s):
Phone No:
Address of Owner: Same
FAX No: same
Zip Code:
E-Mail address:

The present Use of the property is: residential
The current Zoning Classification of the property is: 11
Will the Use change under the proposed work? ☐ Yes ☒ No
If yes, to what?

The work being proposed will be on/for (check all that apply):
- ☐ New building
- ☒ Renovation or Remodel of Primary structure
- ☐ Renovation or Remodel of Accessory structure
- ☐ Other (describe):
- ☐ Site Work/Landscaping
- ☐ Demolition of Primary structure (partial or complete)
- ☐ Demolition of Accessory structure (partial or complete)

Detailed Description of work to be done (attached additional sheets if necessary):
Replace storm windows with divided light wood windows. Replace aluminum doors with divided light wood patio doors

The work will be done by: ☐ Owner ☒ Contractor ☐ Other

Contractor's Name: Brad Bales Phone: 800 939 7560
Date of start: Upon approval Date of completion: 2 weeks

Documentation submitted (10 copies required of any information submitted):
- ☐ Site Plan, legible & drawn to scale (required) NA
- ☐ Building plans, elevations (required)
- ☐ Drawings/Sketches
- ☒ Photographs (required)
- ☒ Samples/Swatches
- ☐ Other

RECEIVED
MERIDIAN STREET PRESERVATION COMMISSION
DATE~ 7·16·14 KB

I (we) affirm, under the penalties for perjury, that the foregoing representations are true.

Signature of Owner — *Date* 7-12-2014

Signature of Applicant (if different than Owner) CJ Vickery — *Date* 7-12-2014

5148 N. Meridian Street

Detailed Description of work to be done

Scope of project: Replace non-original exterior doors and windows in SE porch.

1) Replace 4 aluminum sliding patio doors with wooden French doors and windows. Doors and side-lights will be full height, replacing aluminum-siding filler panels at top, and in line with the top-line of the rest of the windows.
2) Replace aluminum framed sliding windows with 8-over-1, double hung wooden windows, matching the style of the existing windows throughout the house.

Meridian Street view of proposed area - 5148 N Meridian



South Elevation – existing door wall



East (Meridian) Elevation –existing window wall



South Elevation - Proposed Plan

Left to Right: Stationary Sidelight - Two French Doors – Stationary Sidelight

Full height, eliminating existing aluminum filler panels over sliding patio doors



East (Meridian) Elevation – Proposed plan

4 double hung divided light wooden windows, matching existing "8 over 1" windows throughout house

Historical Primed-Wood Windows

With primed-wood exteriors, you gain greater design freedom, because they can be painted any color. They feature factory-applied primer, which provides for easy painting. What's more, AuraLast® significantly reduces the wood's ability to swell and contract, so less maintenance is required.

Primed wood windows are ideal for applications when historical accuracy is important. Whether you are replacing a single window or remodeling a historic landmark, real wood exteriors will give you the authentic look and craftsmanship of tracitional wood windows.

Wood exteriors are factory-primed and are easily painted to match your design scheme or style. Our double-hung windows are also available with a natural exterior.

Primed-Wood Exterior Trim

Brickmould Heritage Flat 1" x 4" Backband



Tradition Plus
Primed-Wood Exterior

DESCRIPTIONS & OPTIONS



SIMULATED DIVIDED LITES (SDL)

For the most authentic divided lite appearance, select our SDL option. It includes detailed interior wood bars, metal bars placed between the panes of insulating glass, and exterior metal bars that are permanently adhered to the exterior glass. Bars are available in five widths and two profiles—SEE PROFILES AT BOTTOM OF PAGE. Exterior metal bars come in our 41 clad colors or your custom color; or you may choose primed metal bars, which may be painted any color you choose.

PRECISE SIMULATED DIVIDED LITES (PDL)

This option features wood exterior bars, wood interior bars and an internal metal shadow bar. Both interior and exterior bars are designed with identical widths and are permanently adhered to the glass. Muntin bars are available in 3/4" and 1-1/2" sizes. PDLs are designed for wood exteriors only.



Proposed windows



Proposed doors